


Katalog náhradních dílů pro
průmyslový šicí stroj

GARUDAN®

GC-317-443 serie



ANITA B, s.r.o.

Hliníky 2068

680 01 Boskovice

Czech Republic

tel: +420 516 454 774, 516 453 496

fax: +420 516 452 751


e-mail: info@anita.cz

www.garudan.cz


CONTENTS

A	Machine Body & Thread Tension Adjusting Mechanism ---	4.5
B	Upper and Upright Shaft Mechanism -----	6.7
C	Needle Bar and Upper Feed Mechanism -----	8.9
D	Lower Shaft and Lower Feed Mechanism -----	10.11
E	Presser Foot and Knee Lifting Mechanism -----	12
F	Lubrication -----	13
G	Accessories -----	14.15
H	Binder Mechanism -----	16.17

NOTE : Parts are Subject to Change in Design
Without Prior Notice.




Machine Body & Thread Tension Adjusting Mechanism




Ref.No	Parts.No	Name of parts	품 명	Q'ty	Note
A-1	01-001A-380L	Arm, Cylinder Bed, Base	암, 실린더 베드, 두부받침	1(Set)	BL
A-2	01-005A-3900	Face Plate	편판	1	
A-3	SC-0394-4127	Pivot Screw (9/64" n=40)	홈볼이 납작 단나사(9/64" n=40)	1	
A-4	SW-0136-1014	Washer (ϕ 5.3×t0.4)	와셔(ϕ 5.3×t0.4)	1	
A-5	SC-0365-4118	Screw (9/64" n=40)	홈볼이 냄비 작은나사(9/64" n=40)	1	
A-6	01-011A-3900	Therad Take Up Cover	실재기 커버	1	
A-7	SC-0365-4118	Screw (9/64" n=40)	홈볼이 냄비 작은나사(9/64" n=40)	2	
A-8	01-012A-3900	Top Cover	윗뚜껑	1	
A-9	SC-0175-4518	Screw (11/64" n=40)	홈볼이 냄비 작은나사(11/64" n=40)	4	
A-10	01-010A-5607	Top Cover Thread Guide	윗실결이	1	
A-11	SN-0105-4000	Nut (15/64" n=28)	육각너트(15/64" n=28)	1	
A-12	01-051C-5607	Three Hole Thread Guide Plate	세구멍 실결이	1	
A-13	01-018A-7500	Arm Thread Guide Plate(U)	아암 실안내(상)	1	
A-14	SC-0145-4114	Screw (9/64" n=40)	접시머리 보울트(9/64" n=40)	1	
A-15	01-020A-7500	Arm Thread Guide Plate(M)	아암 실안내(중)	1	
A-16	SC-0145-4114	Screw (9/64" n=40)	접시머리 보울트(9/64" n=40)	1	
A-17	01-022A-7500	Arm Thread Guide Plate(L)	아암 실안내(하)	1	
A-18	SC-0145-4114	Screw (9/64" n=40)	접시머리 보울트(9/64" n=40)	1	
A-19	01-024A-7500	Holder For Upper Thread Oil Supply Felt	윗실 급유 펠트잡이	1	
A-20	SC-0125-4124	Screw (3/32" n=56)	홈볼이 바인딩 작은나사(3/32" n=56)	2	
A-21	SF-0115-8011	Felt (8×32)	펠트(8×32)	1	
A-22	SU-0102-8112	Rubber Cap (ϕ 10.5)	고무마개(ϕ 10.5)	1	
A-23	01-005A-380A	Bed Hinge(Ass'y)	베드힌지(조)	1(Set)	
A-24	SC-0346-4113	Screw (M8×1.25)	육각구멍볼이 보울트(M8×1.25)	8	
A-25	01-010M-2350	Brand Mark	상표 마크	1	
A-26	01-031M-380L	Model Mark	모델 마크	1	BL
A-27	01-008A-3800	Latch	두부 고정쇠	1	
A-28	SC-0425-4128	Pivot Screw (1/4" n=28)	홈볼이 둥근납작 단나사(1/4" n=28)	1	
A-29	SC-0471-7126	Screw (M8×1.25)	나비 보울트(M8×1.25)	1	
A-30	SW-0101-1011	Washer (ϕ 8.5×t3.2)	와셔(ϕ 8.5×t3.2)	1	
A-31	01-032C-380L	Needle Plate Base	바늘판 받침	1	BL
A-32	SC-0211-4113	Screw (M4×0.7)	육각구멍볼이 보울트(M4×0.7)	4	BL
A-33	01-034A-380L	Needle Plate	침판	1	BL
A-34	SC-0301-4119	Screw (9/64" n=40)	홈볼이 접시 작은나사(9/64" n=40)	2	BL
A-35	01-036A-380L	Bed Cover	베드커버	1	BL
A-36	SC-0120-2118	Screw (9/64" n=40)	홈볼이 냄비 작은나사(9/64" n=40)	4	BL
A-37	01-037A-380L	Hook Cover	훅커버	1	BL
A-38	01-038A-380L	Lower Shaft Cover	하축 커버	1	
A-39	SC-0365-4118	Screw (9/64" n=40)	홈볼이 냄비 작은나사(9/64" n=40)	2	
A-40	01-039A-380L	Front Cover	전면 커버	1	
A-41	SC-0158-4122	Screw (9/64" n=40)	홈볼이 납작 작은나사(9/64" n=40)	2	
A-42	06-012C-380L	Length Control Plate	문자판	1	
A-43	SC-0301-4119	Screw (9/64" n=40)	홈볼이 접시 작은나사(9/64" n=40)	2	
A-44	40-001A-3900	Thread Tension Control(Ass'y)	실조절 장치(조)	1(Set)	
A-45	SC-0175-4518	Screw (11/64" n=40)	홈볼이 냄비 작은나사(11/64" n=40)	1	
A-46	01-040P-380L	Machine Number Plate	기번판	1	
A-47	SP-0125-1114	Pin (ϕ 2×5)	핀(ϕ 2×5)	2	

NOTE: "BL" is a parts only for model GC-318-403




Ref.No	Parts.No	Name of parts	품 명	Q' ty	Note
B-1	08-001A-5607	Thread Take Up Lever	실채기	1	
B-2	02-001P-7400	Hinge Pin For B-1	실채기 힌지핀	1	
B-3	SC-0109-8011	Felt	펠트	1	
B-4	SC-0101-4517	Screw (15/64" n=28)	육각구멍볼이 멈춤나사(15/64" n=28)	2	
B-5	02-003A-740L	Thread Take Up Lever Holder	실채기 잡이	1	
B-6	SF-0109-8011	Felt	펠트	1	
B-7	SF-0123-8012	Felt (ϕ 12×10)	펠트(ϕ 12×10)	1	
B-8	02-001A-380L	Upper Shaft	상축	1	
B-9	02-002A-3900	Link Cam	링크캠	1	
B-10	SC-0123-4422	Screw (9/32" n=28)	홈볼이 납작 작은나사(9/32" n=28)	1	
B-11	SC-0123-4422	Screw (9/32" n=28)	홈볼이 납작 작은나사(9/32" n=28)	1	
B-12	02-004P-7400	Needle Bar Crank Shaft	바늘대 크랭크 축	1	
B-13	SF-0109-8011	Felt	펠트	1	
B-14	SC-0153-4117	Screw (1/4" n=40)	육각구멍볼이 멈춤나사(1/4" n=40)	1	
B-15	SC-0115-4215	Screw (1/4" n=40)	홈볼이 멈춤나사(1/4" n=40)	1	
B-16	02-007A-7400	Link Cam Stopper Ling	링크 캠 스톱퍼 링	1	
B-17	02-003A-3900	Upper Shaft Front Bushing	상축 전봇성	1	
B-18	SC-0101-4517	Screw (15/64" n=28)	육각구멍볼이 멈춤나사(15/64" n=28)	1	
B-19	SF-0120-8012	Felt (ϕ 18×6)	펠트(ϕ 18×6)	1	
B-20	02-004A-380L	Upper Shaft Middle Bushing	상축 중봇성	1	
B-21	SC-0101-4517	Screw (15/64" n=28)	육각구멍볼이 멈춤나사(15/64" n=28)	1	
B-22	SF-0136-8013	Felt (18×8)	펠트(18×8)	1	
B-23	02-005A-380L	Upper Shaft Rear Bushing	상축후봇성	1	
B-24	SC-0101-4517	Screw (15/64" n=28)	육각구멍볼이 멈춤나사(15/64" n=28)	1	
B-25	SF-0128-8012	Felt (ϕ 10×20)	펠트(ϕ 10×20)	1	
B-26	02-006A-380L	Pulley	풀리	1	
B-27	SC-0150-4122	Screw (15/64" n=28)	홈볼이 납작 작은나사(15/64" n=28)	2	
B-28	SC-0188-4124	Screw (5/16" n=24)	홈볼이 바연딩 작은나사(5/16" n=24)	1	
B-29	02-010A-3900	Pulley Ling	풀리링	1	
B-30	SC-0129-4515	Screw (1/4" n=40)	홈볼이 멈춤나사(1/4" n=40)	1	
B-31	02-011A-3900	Collar For Upper Shaft	상축카라	1	
B-32	SC-0123-4422	Screw (9/32" n=28)	홈볼이 납작 작은나사(9/32" n=28)	2	
B-33	02-112A-380L	Upper Shaft Gear	상축기어	1	
B-34	SC-0115-4215	Screw (1/4" n=40)	홈볼이 멈춤나사(1/4" n=40)	2	
B-35	03-001A-3800	Upright Shaft	세운축	1	
B-36	03-002A-3800	Upright Shaft Upper Bushing	세운축 상봇성	1	
B-37	SC-0101-4517	Screw (15/64" n=28)	육각구멍볼이 멈춤나사(15/64" n=28)	1	
B-38	03-003A-3800	Upright Shaft Lower Bushing	세운축 하봇성	1	
B-39	SC-0101-4517	Screw (15/64" n=28)	육각구멍볼이 멈춤나사(15/64" n=28)	1	
B-40	02-212A-1230	Upright Shaft Upper Gear	세운축 상기어	1	
B-41	SC-0115-4215	Screw (1/4" n=40)	홈볼이 멈춤나사(1/4" n=40)	2	
B-42	02-213A-1230	Upright Shaft Lower Gear	세운축 하기어	1	
B-43	SC-0115-4215	Screw (1/4" n=40)	홈볼이 멈춤나사(1/4" n=40)	2	

NOTE: "BL" is a parts only for model GC-318-403




Needle Bar and Upper Feed Mechanism




Ref.No	Parts.No	Name of parts	품명	Q'ty	Note
C-1	04-003A-590L	Needle Bar	바늘대	1	
C-2	04-002A-5607	Needle Guide For Needle Bar	바늘대 실안내	1	
C-3	SC-0125-4124	Screw (3/32" n=56)	홀볼이 바인딩 작은나사(3/32" n=56)	1	
C-4		Needle(DP×17 ±18)	바늘(DP×17 ±18)	1(Set)	
C-5	SC-0160-4125	Screw (9/64" n=40)	홀볼이 둥근납작 작은나사(9/64" n=40)	1	
C-6	04-006A-5607	Needle Bar Holder	바늘대 잡이	1	
C-7	SC-0158-4122	Screw (9/64" n=40)	홀볼이 납작 작은나사(9/64" n=40)	2	
C-8	SF-0109-8011	Felt	펠트	1	
C-9	04-008A-5607	Needle Bar Crank	바늘대 크랭크	1	
C-10	15-001A-3900	Upper Feed Lifting Eccentric Cam	노루발 상하운동 캠	1	
C-11	15-002S-5607	Screw For C-10	노루발 상하운동 캠 고정나사	2	
C-12	06-036A-7400	Needle Bearing	니어들 베어링	1	
C-13	15-004A-5607	Upper Feed Lifting Cam Lod	노루발 상하운동 캠 로드	1	
C-14	15-005A-5607	Upper Feed Eccentric Wheel Crank	노루발 상하운동 크랭크	1	
C-15	SC-0140-4111	Screw (1/4" n=28)	육각 볼트(1/4" n=28)	1	
C-16	15-007A-5607	Upper Feed Lifting Adjusting Shaft	노루발 상하운동 조절축	1	
C-17	15-008A-5607	Bushing For C-16	노루발 상하운동 조절축 분성	1	
C-18	15-009A-5607	Collar For C-16	노루발 상하운동 조절축 카라	1	
C-19	SW-0115-1011	Washer (φ6.5×t0.5)	와셔(φ6.5×t0.5)	1	
C-20	SN-0116-4000	Nut (1/4" n=40)	육각너트(1/4" n=40)	1	
C-21	15-012A-5607	Upper Feed Driving Shaft	상하운동축	1	
C-22	15-013A-5607	Front Bushing For C-21	상하운동축 전분성	1	
C-23	SF-0125-8012	Felt (φ6×7)	펠트(φ6×7)	1	
C-24	15-014A-5607	Rear Bushing For C-21	상하운동축 후분성	1	
C-25	SF-0125-8012	Felt (φ6×7)	펠트(φ6×7)	1	
C-26	SC-0438-4130	Pivot Screw (1/4" n=40)	홀볼이 무두 단나사(1/4" n=40)	1	
C-27	SN-0116-4000	Nut (1/4" n=40)	육각너트(1/4" n=40)	1	
C-28	15-017A-5607	Connecting Link For Upper Feed Lifting	상피이드 연결링크	1	
C-29	15-018A-5607	Link For Upper Feed Foot	상피이드 노루발 연결링크	1	
C-30	15-019A-5607	Walking Bar Driving Link	상피이드 노루발 운동링크	1	
C-31	15-015A-3800	Walking Bar	상피이드 노루발대	1	
C-32	15-021A-5607	Upper Feed Presser Foot	상피이드 노루발	1	BL
C-33	SC-0128-4118	Screw (11/64" n=40)	홀볼이 냄비 작은나사(11/64" n=40)	1	
C-34	15-023A-5607	Walking Bar Guide Plate	상피이드 노루발대 안내판	1	
C-35	SC-0174-4122	Screw (11/64" n=40)	홀볼이 납작 작은나사(11/64" n=40)	2	
C-36	SW-0102-1011	Washer (φ3.7×t0.8)	와셔(φ3.7×t0.8)	2	
C-37	15-026A-5607	Walking Foot Pressure Adjusting Pole	상피이드 노루발 압력봉	1	
C-38	15-027G-5607	Walking Foot Pressure Spring	상피이드 노루발 압력스프링	1	
C-39	SC-0203-4522	Screw (5/16" n=28)	홀볼이 납작 작은나사(5/16" n=28)	1	
C-40	15-048A-5607	Needle Bar Frame	바늘대 후레임	1	
C-41	15-030P-3800	Hinge Pin For C-40	바늘대 후레임 힌지핀	1	
C-42	SF-0109-8011	Felt	펠트	1	
C-43	SC-0101-4517	Screw (15/64" n=28)	육각구멍볼이 멈춤나사(15/64" n=28)	1	
C-44	15-051A-5607	Guide For Needle Bar Frame	바늘대 후레임 안내판	1	
C-45	SC-0178-4118	Screw (11/64" n=28)	홀볼이 냄비 작은나사(11/64" n=28)	1	
C-46	SC-0178-4118	Screw (11/64" n=28)	홀볼이 냄비 작은나사(11/64" n=28)	1	
C-47	15-017A-3800	Walking Bar Guide Block	상피이드 노루발대 안내블럭	1	
C-48	15-024A-3800	Needle Bar Frame Driving Shaft	바늘대 후레임 요동축	1	
C-49	15-032A-380L	Needle Bar Frame Shaft Crank(F)	요동축 크랭크(전)	1	
C-50	SP-0124-1212	Pin (φ3×15.5)	핀(φ3×15.5)	1	
C-51	15-028A-3800	Needle Bar Frame Block	바늘대 후레임 블럭	1	
C-52	15-031A-380L	Needle Bar Rock Crank	요동축 크랭크(후)	1	
C-53	SC-0106-4111	Screw (15/64" n=28)	육각 볼트(15/64" n=28)	1	
C-54	15-030A-380L	Connecting Rod For C-48	요동축 연결로드	1	
C-55	SC-0452-4133	Pivot Screw (5/16" n=24)	홀볼이 무두반질 단나사(5/16" n=24)	2	
C-56	SR-0112-1013	E-Ring(φ7)	E형 팽출링(φ7)	2	
C-57	15-029A-380L	Needle Bar Rock Crank	바늘대 요동크랭크	1	
C-58	SC-0330-4418	Screw (15/64" n=28)	홀볼이 냄비 작은나사(15/64" n=28)	1	
C-59	SC-0122-4522	Screw (15/64" n=28)	홀볼이 납작 작은나사(15/64" n=28)	1	

NOTE: "BL" is a parts only for model GC-318-403




Lower Shaft and Lower Feed Mechanism




Ref.No	Parts.No	Name of parts	품 명	Q'ty	Note
D-1	07-001A-380L	Lower Shaft	하축	1	
D-2	07-002A-380L	Lower Shaft Front Bushing	하축 앞부싱	1	BL
D-3	SC-0101-4517	Screw (15/64" n=28)	육각구멍볼이 멈춤나사(15/64" n=28)	1	
D-4	SF-0132-8013	Felt (15×4)	펠트(15×4)	1	
D-5	07-003A-3800	Lower Shaft Rear Bushing	하축 후부싱	1	
D-6	SC-0101-4517	Screw (15/64" n=28)	육각구멍볼이 멈춤나사(15/64" n=28)	1	
D-7	SF-0132-8013	Felt (15×4)	펠트(15×4)	1	
D-8	07-003A-380B	Collar For Lower Shaft	하축카라	1	
D-9	SC-0110-4115	Screw (15/64" n=28)	홈볼이 멈춤나사(15/64" n=28)	2	
D-10	02-214A-1230	Lower Shaft Gear	하축 기어	1	
D-11	SC-0115-4215	Screw (1/4" n=40)	홈볼이 멈춤나사(1/4" n=40)	2	
D-12	07-003A-380L	Rotary Hook	로터리 훅	1	
D-13	SC-0216-4114	Screw (φ 3.378 n=36)	캡시머리 보울트(φ 3.378 n=36)	2	
D-14	07-004A-380L	Bobbin Case = 07-006A-146L	보빈 케이스	1	
D-15	07-008A-146L	Bobbin	보빈	1	
D-16	06-001A-380L	Feed Cam (A)	피이드 캠 (A)	1	BL
D-17	SR-0102-1011	C-Ring (φ 22)	C형 멈춤링(φ 22)	1	BL
D-18	SC-0123-4422	Screw (9/32" n=28)	홈볼이 납작 작은나사(9/32" n=28)	2	BL
D-19	06-003A-380L	Feed Cam (B)	피이드캠(B)	1	
D-20	SC-0123-4422	Screw (9/32" n=28)	홈볼이 납작 작은나사(9/32" n=28)	2	
D-21	06-002A-3400	Connection Ring For Y-Rod	Y-로드 연결링	1	
D-22	SF-0133-8013	Felt (22×6)	펠트(22×6)	1	
D-23	44-015C-3400	Holder For D-22	Y-로드 연결링 굽음 펠트잡이	1	
D-24	06-002A-3800	Y-Rod	Y-로드	1	
D-25	06-004A-380L	Feed Regulator	피이드 조절기	1	
D-26	06-005A-380L	Feed Regulator Supporting Frame	피이드 조절기 부속 프레임	1	
D-27	SC-0106-4111	Screw (15/64" n=28)	육각 보울트(15/64" n=28)	4	
D-28	06-105A-380L	Feed Regulator Shaft	피이드 조절기 축	1	
D-29	06-006W-380L	Washer For D-28	피이드 조절기 축 와셔	1	
D-30	SC-0150-4122	Screw (15/64" n=28)	홈볼이 납작 작은나사(15/64" n=28)	2	
D-31	06-007A-3800	Feed Link	피이드 링크	1	
D-32	SC-0470-4130	Pivot Screw (9/32" n=28)	홈볼이 무두 단나사(9/32" n=28)	1	
D-33	SN-0107-4000	Nut (9/32" n=28)	육각너트(9/32" n=28)	1	
D-34	SC-0436-4130	Pivot Screw (9/32" n=28)	홈볼이 무두 단나사(9/32" n=28)	1	
D-35	06-003A-3900	Reverse Feed Control Lever Shaft	역진 레버축	1	
D-36	SC-0162-4113	Screw (M5×0.8)	육각구멍볼이 보울트(M5×0.8)	1	
D-37	06-004A-3900	Feed Adjusting Pipe	피이드 조절 파이프	1	
D-38	06-005S-3900	Nut For Feed Regulator	담수 조절 너트	1	
D-39	06-006P-3900	Ball For Feed Regulator	담수 조절 볼	1	
D-40	06-027G-7400	Spring For Feed Regulator	담수조절 스프링	1	
D-41	06-008C-3900	Reverse Feed Control Lever	역진 레버	1	
D-42	SC-0164-4517	Screw (M5)	육각구멍볼이 멈춤나사(M5)	2	
D-43	06-009C-3900	Feed Regulator Return Spring	피이드조절기 리턴 스프링	1	
D-44	06-011C-380L	Hook (A) For D-43	피이드조절기 리턴 스프링 걸이(A)	1	
D-45	SN-0115-4000	Nut (3/16" n=32)	육각너트(3/16" n=32)	1	
D-46	06-039C-1600	Hook (B) For D-43	피이드조절기 리턴 스프링 걸이(B)	1	
D-47	SC-0177-4118	Screw (3/16" n=28)	홈볼이 냄비 작은나사(3/16" n=28)	1	
D-48	06-014A-380L	Feed Rock Shaft	수평밀대	1	BL
D-49	06-018A-3800	Feed Rock Shaft Collar	수평밀대 카라	1	
D-50	SC-0104-4517	Screw (11/64" n=40)	육각구멍볼이 멈춤나사(11/64" n=40)	2	
D-51	06-015A-380L	Feed Rock Shaft Crank	수평밀대 크랭크	1	
D-52	SC-0106-4111	Screw (15/64" n=28)	육각 보울트(15/64" n=28)	1	
D-53	SC-0452-4133	Pivot Screw (5/16" n=24)	홈볼이 무두반질 단나사(5/16" n=24)	1	
D-54	SR-0112-1013	E-Ring (φ 7)	E형 멈춤링(φ 7)	1	
D-55	06-016A-380L	Feed Bar	톱니받침	1	BL
D-56	06-017A-380L	Feed Bar Guide	톱니받침 안내	1	BL
D-57	SC-0158-4122	Screw (9/64" n=40)	홈볼이 납작 작은나사(9/64" n=40)	2	BL
D-58	06-018A-380L	Feed Dog	톱니	1	BL
D-59	SC-0120-2118	Screw (9/64" n=40)	홈볼이 냄비 작은나사(9/64" n=40)	2	BL
D-60	06-019A-380L	Feed Lifting Shaft	들대	1	BL
D-61	06-020A-380L	Feed Lifting Collar	들대카라	1	BL
D-62	SC-0104-4517	Screw (11/64" n=40)	육각구멍볼이 멈춤나사(11/64" n=40)	1	BL
D-63	06-021A-380L	Feed Lifting Shaft Crank	들대 크랭크	1	BL
D-64	SC-0343-4122	Screw (15/64" n=28)	홈볼이 납작 작은나사(15/64" n=28)	1	BL
D-65	SC-0452-4133	Pivot Screw (5/16" n=24)	홈볼이 무두반질 단나사(5/16" n=24)	1	BL
D-66	SR-0112-1013	E-Ring (φ 7)	E형 멈춤링(φ 7)	1	BL
D-67	06-022A-380L	Crank Rod	크랭크 로드	1	BL

NOTE: "BL" is a parts only for model GC-318-403




Ref.No	Parts.No	Name of parts	품 명	Q'ty	비 고
E-1	05-001A-5607	Presser Bar	누름대	1	BL
E-2	05-002A-7400	Bushing(U) For E-1	누름대 상부싱	1	BL
E-3	SC-0101-4517	Screw (15/64" n=28)	육각구멍볼이 멈춤나사(15/64" n=28)	1	BL
E-4	05-009A-7400	Bushing(L) For E-1	누름대 하부싱	1	
E-5	SC-0101-4517	Screw (15/64" n=28)	육각구멍볼이 멈춤나사(15/64" n=28)	1	
E-6	05-003A-7400	Presser Bar Bracket	누름대 잡이	1	
E-7	SC-0174-4122	Screw (11/64" n=40)	홀볼이 납작 작은나사(11/64" n=40)	1	
E-8	05-007A-5607	Sub Presser Foot	보조 누름발	1	BL
E-9	SC-0315-4122	Screw (9/64" n=40)	홀볼이 납작 작은나사(9/64" n=40)	1	
E-10	40-006A-5607	Thread Tension Release (Ass'y)	실늑추기(조)	1(Set)	
E-11	40-007G-5607	Return Spring For E-10	실늑추기 리턴 스프링	1	
E-12	40-008A-5607	Thread Tension Release Shaft	실늑추기 축	1	
E-13	40-009A-5607	Pipe For E-12	실늑추기 축 파이프	1	
E-14	40-012C-5607	Tension Release Plate	실늑추기 판	1	
E-15	SC-0174-4122	Screw (11/64" n=40)	홀볼이 납작 작은나사(11/64" n=40)	2	
E-16	05-009A-5607	Presser Bar Guide Bracket	누름대 브라켓	1	
E-17	SC-0305-4118	Screw (3/16" n=28)	홀볼이 냄비 작은나사(3/16" n=28)	1	
E-18	05-111A-5607	Roller Stud Screw	누름대 브라켓 로울러 축나사	1	
E-19	05-112A-5607	Roller For Presser Bracket	누름대 브라켓 로울러	1	
E-20	05-012A-5607	Roller Shaft	누름대 브라켓 로울러 축	1	
E-21	SP-0123-9212	Pin (φ2.2×10.7)	핀(φ2.2×10.7)	1	
E-22	05-013A-5607	Guide Bar Bracket Roller	누름대 브라켓 로울러 안내	1	
E-23	SW-0102-1011	Washer (φ3.7×10.8)	와셔(φ3.7×10.8)	1	
E-24	SC-0174-4122	Screw (11/64" n=40)	홀볼이 납작 작은나사(11/64" n=40)	2	
E-25	05-016C-3900	Plate For Roller Guide	로울러 안내 부착판	1	
E-26	SC-0171-4120	Screw (3/16" n=28)	홀볼이 둥근납작 작은나사(3/16" n=28)	1	
E-27	05-006A-7400	Presser Bar Lifter	누름대 올리기	1	
E-28	SC-0444-4130	Pivot Screw (3/16" n=28)	홀볼이 두두 단나사(3/16" n=28)	1	
E-29	43-001A-3900	Knee Lifting Lever	무릎올림레버	1	
E-30	SC-0425-4128	Pivot Screw (1/4" n=28)	홀볼이 둥근납작 단나사(1/4" n=28)	1	
E-31	43-002C-3900	Return Spring For E-29	무릎올림 레버 리턴 스프링	1	
E-32	43-003C-3900	Plate Spring For Presser Bar	누름대 판 스프링	1	BL
E-33	05-015S-7400	Adjusting Screw For E-1	누름대 압력조절나사	1	BL
E-34	43-005A-3900	Stopper For Knee Lifting Lever	무릎올림 레버 스톱퍼	1	
E-35	SC-0106-4111	Screw (15/64" n=28)	육각 볼머트(15/64" n=28)	1	
E-36	SC-0418-4128	Pivot Screw (1/4" n=28)	홀볼이 둥근납작 단나사(1/4" n=28)	1	BL
E-37	43-004C-3900	Presser Bar Plate Spring Rack	누름대 판 스프링 걸이	1	BL
E-38	SC-0215-4118	Screw (9/64" n=40)	홀볼이 냄비 작은나사(9/64" n=40)	1	BL

NOTE: "BL" is a parts only for model GC-318-403




Ref.No	Parts.No	Name of parts	품 명	Q'ty	Note
F-1	44-004A-3400	Oil Tank (Ass'y)	오일 탱크(조)	1(Set)	
F-2	SC-0179-4118	Screw (11/64" n=40)	홀볼이 넬비 작은나사(11/64" n=40)	4	
F-3	44-005C-3400	Oil Tank Packing	오일 탱크 패킹	1	
F-4	44-006C-3400	Oil Tank Pushing Plate(Ass'y)	오일 탱크 누름판(조)	1(Set)	
F-5	SU-0122-1512	Rubber Cap (φ 6.3)	고무마개(φ 6.3)	1	
F-6	SF-0109-8011	Felt	펠트	1	
F-7	44-012C-1230	Hose For F-6	상측 전봇실 급유유실 호스	1	
F-8	44-026G-7400	Hook For F-7	상측 전봇실 급유유실 호스걸이	1	
F-9	SF-0109-8011	Felt	펠트	1	
F-10	44-004A-3800	Holder For F-9	노우발 상하운동 벨트 로드 급유유실잡이	1	
F-11	SC-0365-4118	Screw (9/64" n=40)	홀볼이 넬비 작은나사(9/64" n=40)	1	
F-12	SF-0109-8011	Felt	펠트	1	
F-13	44-012C-1230	Hose For F-12	상측 중봇실 급유유실 호스	1	
F-14	44-026G-7400	Holder For F-13	상측 중봇실 급유유실 호스걸이	1	
F-15	SC-0120-2118	Screw (9/64" n=40)	홀볼이 넬비 작은나사(9/64" n=40)	1	
F-16	SF-0109-8011	Felt	펠트	1	
F-17	44-024C-3400	Holder For F-16	Y로드 연결릴 유실잡이	1	
F-18	SC-0365-4118	Screw (9/64" n=40)	홀볼이 넬비 작은나사(9/64" n=40)	1	
F-19	SF-0109-8011	Felt	펠트	1	
F-20	44-012C-1230	Hose For F-16	Y로드 연결릴 급유유실 호스	1	
F-21	44-030A-3800	Gear Case (L)	기어 케이스(좌)	1	
F-22	44-031A-3800	Gear Case (R)	기어 케이스(우)	1	
F-23	SC-0215-4118	Screw (9/64" n=40)	홀볼이 넬비 작은나사(9/64" n=40)	2	
F-24	03-017R-3710	Gear Case Retainer	기어 케이스 리테이너	1	
F-25	44-033C-7500	Oil Cover	유방판	1	
F-26	SF-0113-8011	Felt (15×31)	펠트(15×31)	1	
F-27	44-017C-7400	Oil Cover Presser	유방판잡이	1	
F-28	SC-0155-4114	Screw (9/64" n=40)	캡시머리 볼트(9/64" n=40)	1	
F-29	SF-0109-8011	Felt	펠트	1	
F-30	44-047P-3900	Pipe For D-5	하측 후봇실 급유 파이프	1	
F-31	SF-0109-8011	Felt	펠트	1	
F-32	44-012C-1230	Hose For F-31	상측 후봇실 급유유실 호스	1	
F-33	44-055A-380L	Oil Pan	오일 팬	1	

NOTE: "BL" is a parts only for model GC-318-403





Accessories



Ref.No	Parts.No	Name of parts	품명	Q'ty	Note
G-1	91-001C-1230	Accessory Bag	악세서리 백	1	
G-2	91-002C-1230	Driver(L)	드라이버(大)	1	
G-3	91-003C-1230	Driver(M)	드라이버(中)	1	
G-4	91-003C-1230	Driver(S)	드라이버(小)	1	
G-5		Needle(DP×17 #18)	바늘(DP×17 #18)	1(Set)	
G-6	07-008A-146L	Bobbin	보빈	2	
G-7	91-004C-2700	L-Wrench(2.5mm)	L렌치(2.5mm)	1	
G-8	91-003C-2700	L-Wrench(3mm)	L렌치(3mm)	1	
G-9	SF-0115-8011	Felt (8×32)	펠트(8×32)	1	
G-10	91-013C-1230	Head Cover	머신 커버	1	
G-11	91-008C-1230	Oiler	주유통	1	
G-12	SC-0143-4114	Screw (M6×1.0)	접시머리 보울트(M6×1.0)	4	
G-13	SN-0102-4000	Nut (M6×1.0)	육각너트(M6×1.0)	4	
G-14	SW-0101-1011	Washer (φ8.5×13.2)	와셔(φ8.5×13.2)	4	
G-15	91-007A-2302	Thread Stand(Ass'y)	실레아웃(조)	1(Set)	
G-16	41-001A-1230	Bobbin Winder(Ass'y)	실감기(조)	1(Set)	
G-17	41-006A-3800	Knee Lifting(Ass'y)	무릎올림(조)	1(Set)	
G-17-1	43-006A-3900	Knee Lifting Chain(Ass'y)	무릎올림 줄(조)	1(Set)	
G-17-2	43-111C-3800	Knee Lifting Shaft	무릎올림 축	1	
G-17-3	43-103R-3400	Knee Lifting Pad	무릎받침 고무	1	
G-17-4	43-101C-3400	Knee Supporting Shaft	무릎받침 축	1	
G-17-5	43-112C-3800	Connecting Hook For G-17-1	무릎 올림줄 연결쇠	1	
G-17-6	43-113C-3800	Crank For G-17-5	무릎 올림줄 연결쇠 크랭크	1	
G-17-7	43-110C-3400	Crank For G-17-4	무릎 받침축 연결 크랭크	1	
G-17-8	43-109C-3400	Knee Lifting Adjusting Crank	무릎 올림조절판 연결 크랭크	1	
G-17-9	43-006G-3400	Return Spring For G-17-4	무릎 받침축 리턴 스프링	1	
G-17-10	43-108C-3800	Bracket For G-17-2	무릎 올림축 브라켓(조)	1(Set)	
G-18		Belt Cover(Ass'y)	벨트커버(조)	1(Set)	
G-18-1	60-001A-380L	Belt Cover(Ass'y)	벨트커버(조)	1(Set)	
G-18-2	SC-0120-2118	Screw (9/64" n=40)	홈볼이 냄비 작은나사(9/64" n=40)	2	
G-18-3	SC-0120-2118	Screw (9/64" n=40)	홈볼이 냄비 작은나사(9/64" n=40)	2	
G-18-4	SC-0437-4130	Pivot Screw (11/64" n=40)	홈볼이 두두 단나사(11/64" n=40)	1	
G-18-5	SC-0200-4123	Screw (11/64" n=40)	홈볼이 트러스 작은나사(11/64" n=40)	1	
G-19	90-003A-8670	Head Rest	두부 지지봉	1	
G-20	01-026C-380L	Attachment Roller Bracket	정규로올러 부착판	1	BL
G-21	SC-0204-4124	Screw (1/8" n=44)	홈볼이 바인딩 작은나사(1/8" n=44)	2	BL
G-22	01-028W-380L	Washer For G-20	정규로올러 부착판 절나사 와셔	2	BL
G-23	01-029A-380L	Attachment Roller	정규로올러	1	BL
G-24	SC-0136-4127	Pivot Screw (1/8" n=40)	홈볼이 납작 단나사(1/8" n=40)	1	BL






NOTE: "BL" is a parts only for model GC-318-403



Ref.No	Parts.No	Name of parts	품명	Q'ty	Note
H-1	01-001A-38LB	Arm, Cylinder Bed, Base	아암 베드(조)	1(Set)	
H-2	01-032M-38LB	Model Mark	모델 마크	1	
H-3	01-037A-38LB	Needle Plate Base	바늘판 받침	1	
H-4	SC-0309-4120	Screw (9/64" n=40)	홈볼이 둥근접시 작은나사(9/64" n=40)	4	
H-5	01-039A-38LB	Needle Plate	침판	1	
H-6	01-021S-380B	Screw (11/64" n=40)	접시 머리 볼트(11/64" n=40)	2	
H-7	01-041A-38LB	Binder Feeding Cover	바인더 이송 커버	1	
H-8	01-043A-38LB	Hook Cover	훅 커버	1	
H-9	05-001A-38LB	Presser Bar	누름대	1	
H-10	05-008A-38LB	Sub Presser Foot(16mm)	보조 노루발(16mm)	1	
H-11	05-023A-38LB	Presser Bar Guide	누름대 안내	1	
H-12	SC-0101-4517	Screw(15/64" n=28)	육각 구멍볼이 작은나사(15/64" n=28)	1	
H-13	05-025S-38LB	Sub Press Adjusting Screw	보조 압력 조절나사	1	
H-14	05-026S-38LB	Press Adjusting Screw	압력 조절나사	1	
H-15	05-027C-38LB	Nut For H-13	압력 조절나사 고정너트	1	
H-16	05-028G-38LB	Adjusting Spring For H-10	노루발 압력 조절 스프링	1	
H-17	05-029G-38LB	Sub Spring For H-10	노루발 압력 보조 스프링	1	
H-18	06-034A-38LB	Feed Rock Shaft	수평 펄대	1	
H-19	06-041A-38LB	Feed Dog Base	톱니 받침	1	
H-20	06-044A-38LB	Feed Dog	톱니	1	
H-21	SC-0133-4122	Screw(1/8" n=44)	홈볼이 납작 작은나사(1/8" n=44)	2	
H-22	SC-0200-4123	Screw(11/64" n=40)	홈볼이 트리스 작은나사(11/64" n=40)	1	
H-23	06-024A-3800	Feed Dog Base Hinge Stud	톱니 받침 힌지축	1	
H-24	SC-0175-4518	Screw(11/64" n=40)	홈볼이 냄비 작은나사(11/64" n=40)	2	
H-25	06-057G-38LB	Binder-Plate Spring	바인더판 스프링	1	
H-26	06-027W-3800	Washer For H-22	톱니 받침 힌지축 와셔	1	
H-27	SC-0198-4122	Screw(11/64" n=40)	홈볼이 바인딩 작은나사(11/64" n=40)	1	
H-28	06-060A-38LB	Feed Dog Feeding Crank	톱니 이송 크랭크	1	
H-29	SC-0317-4517	Screw(15/64" n=28)	육각 구멍볼이 멈춤나사(15/64" n=28)	2	
H-30	06-062A-38LB	Feed Dog Feeding Holder	톱니 이송 홀더	1	
H-31	44-0000-1230	Felt	펠트	1	
H-32	06-031A-380B	Screw(11/32" n=28)	홈볼이 납작 핀 작은나사(11/32" n=28)	1	
H-33	07-002A-38LB	Lower Shaft Front Bushing	하축 앞뭇싱	1	
H-34	15-021A-38LB	Upper Feed Presser Foot(12.4mm)	상피이드 노루발(12.4mm)	1	
H-35	20-001A-380B	Tape Stand(Ass'y)	테이프 쥬어(조)	1(Set)	
H-36	41-102S-1230	Screw	테핑 나사	3	
H-37	20-002A-380B	Bolt For Binder	바인더 고정 볼트	2	
H-38	20-002C-380B	Nut For Binder	바인더 고정 너트	2	
H-39	20-005G-38LB	Tape Guide	테이프 안내	1	
H-40	SC-0199-4118	Screw(11/64" n=40)	홈볼이 냄비 작은나사(11/64" n=40)	1	
H-41	06-008S-3800	Pivot Screw(9/32" n=28)	홈볼이 무두 단나사(9/32" n=28)	1	
H-42	SN-0107-4000	Nut(9/32" n=28)	육각 너트(9/32" n=28)	1	




NOTE:This is parts only for model GC-317-403

GC-318-403 GAUGE PARTS LIST

Feed Dog			Upper Feed Presser Foot		
Ref.No.	Parts No.	Specification	Ref.No.	Parts No.	Specification
D-58	06-018A-380L	Standard Parts 		15-221A-5607	Standard Parts 
				15-021A-5607	Option Parts 
	06-118A-380L	Option Parts 	C-32	15-421A-5607	Option Parts (I) 
				15-321A-5607	Option Parts (II) 

☒ If You Wish to Use Special Order Parts, Use "Parts No" Above The Chart To Order It.

GC-317-403 GAUGE PARTS LIST

Sub Presser Foot			Upper Feed Presser Foot		
Ref.No.	Parts No.	Specification	Ref.No.	Parts No.	Specification
H-10	05-008A-38LB	Standard Parts 	H-34	15-021A-38LB	Standard Parts 
	05-001A-380B	Option Parts 		15-033A-380B	Option Parts 